

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

1. (Currently amended) An injection molded part, ~~in particular a toothbrush body,~~ with a ~~basic~~ body injection-molded from a first plastic, on a ~~the~~ surface of which a decoration having a decorative first side and a back side is two-dimensionally applied and is covered by an encapsulation of a second plastic by a second injection-molding operation, ~~characterized in that wherein~~ the ~~basic~~ body ~~(1) consists of~~ comprises a transparent and/or opaque and/or translucent plastic and the decoration (4) is applied with its decorative ~~visible~~ side (5) to the surface (2) of the ~~basic~~ body (1).

2. (Canceled)

3. (Currently amended) The injection molded part as claimed in ~~one of the preceding claims~~ claim 1, ~~characterized in that wherein~~ the encapsulation (7) covers one or more decoration-free regions (6, 8) of the basic body (1) with ~~material engagement~~ the first and second plastics bonded to each other.

4. (Canceled)

5. (Currently amended) The injection molded part as claimed in ~~one of the preceding claims~~ claim 3, ~~characterized in that wherein~~ the first and second plastics of the basic body and the ~~encapsulation~~ have different degrees of hardness.

6. (Currently amended) The injection molded part as claimed in claim 3 ~~either of claims 4 and 5, characterized in that wherein~~ the decoration-free regions ~~(6)~~ are arranged in the an edge region adjacent ~~of~~ the decoration ~~(4)~~.

7. (Currently amended) The injection molded part as claimed in ~~one of claims 3 to 6~~ claim 6, ~~characterized in that wherein~~ the encapsulation ~~(7)~~ extends over the ~~basic~~ body ~~(1)~~ fully or partly beyond the edge region adjacent ~~(6)~~ of the decoration ~~(4)~~.

8. (Currently amended) The injection molded part as claimed in ~~one of claims 3 to 7~~ claim 3, ~~characterized in that wherein~~ the decoration-free regions ~~(8)~~ are arranged in an interior ~~the~~ region of the decoration ~~(4)~~.

9. (Currently amended) The injection molded part as claimed in ~~one of claims 3 to 8~~ claim 3, ~~characterized in that wherein~~ the ~~basic~~ body has, in one or more of the decoration-free regions, recesses which are open toward its surface and are filled by the second plastic of the encapsulation.

10. (Canceled)

11. (Currently amended) The injection molded part as claimed in ~~one of the preceding claims~~ claim 1, ~~characterized in that wherein~~ the surface of the ~~basic~~ body bearing the decoration is substantially ~~approximately~~ planar.

12. (Currently amended) The injection molded part as claimed in ~~one of claims 1 to 10~~, ~~characterized in that wherein~~ the surface ~~(2)~~ of the ~~basic~~ body ~~(1)~~ bearing the decoration ~~(4)~~ is convexly curved.

13. (Currently amended) The injection molded part as claimed in ~~one of the preceding claims claim 1, characterized in that~~ wherein an edge the region of the surface (2) of the ~~basic~~ body (1) surrounding the decoration (4) is formed at a lower-lying level than the surface ~~area~~ covered by the decoration (4).

14. (Currently amended) The injection molded part as claimed in claim 13, ~~characterized in that~~ wherein the edge region of the surface (2) of the ~~basic~~ body (1) surrounding the decoration (4) is formed in a convexly rounded manner.

15. (Currently amended) The injection molded part as claimed in claim 14, ~~characterized in that~~ wherein the convex rounding extends into an the outer edge region of the surface (2) of the ~~basic~~ body (1) bearing the decoration (4).

16. (Currently amended) The injection molded part as claimed in ~~one of the preceding claims claim 1, characterized in that~~ wherein the decoration is an insert part applied by means of ~~or~~ a hot transfer film, or by means of a metallized film.

17. (Currently amended) The injection molded part as claimed in claim 1 ~~one of claims 1 to 15, wherein~~ characterized in that the decoration (4) is applied to the surface (2) of the ~~basic~~ body (1) by printing, ~~in particular by pad printing or screen printing or laser printing or inkjet printing.~~

18. (Currently amended) The injection molded part as claimed in ~~one of the preceding claims claim 1, characterized in that~~ wherein a further decoration (4') is applied to the encapsulation (7) and is covered by a further encapsulation (7'), which covers one or more regions (6') of the first encapsulation (7) that are free from the further decoration (4') with the second encapsulation bonded ~~material engagement with respect to~~ the first encapsulation (7).

19. (New) The injection molded part of claim 1, wherein the part is a toothbrush body.
20. (New) A method of injection molding a part, the method comprising:  
injection molding a body from a first plastic;  
applying at least a two-dimensional decoration to a surface of the body, the decoration having a decorative front side and a back side; and then  
covering the applied decoration with an encapsulating layer of a second plastic, the second plastic injection molded over the decoration;  
wherein the body comprises a transparent or translucent plastic, and the decoration is applied with its decorative front side facing the body, such that the decorative front side is visible through the body.
21. (New) The method as claimed in claim 20, wherein the encapsulating layer covers a decoration-free region of the body and the first plastic bonds with the second plastic in the decoration-free region.
22. (New) The method as claimed in claim 21, wherein the first and second plastics have different degrees of hardness.
23. (New) The method as claimed in claim 21, wherein the decoration-free region is an edge region adjacent the decoration.
24. (New) The method as claimed in claim 23, wherein the encapsulating layer extends over the body beyond the edge region.
25. (New) The method as claimed in claim 21, wherein the decoration-free region is arranged in an interior region defined within the decoration.

26. (New) The method as claimed in claim 21, wherein the body has a recess in the decoration-free region which are open toward its surface and are filled by the plastic of the encapsulating layer, the recess defining an alphanumeric character or symbol.

27. (New) The method as claimed in claim 20, wherein an edge region of the surface surrounding the decoration is formed at a lower-lying level than a covered region of the surface under the decoration.

28. (New) The method as claimed in claim 20, further comprising:  
applying a further decoration applied to the encapsulating layer; and  
injection molding a second encapsulating layer covering at least a region of the first encapsulating layer that is free from the further decoration;  
wherein the second encapsulating layer bonds with the first encapsulating layer.

29. (New) The method of claim 20, wherein the part is a toothbrush body.